

The KONE logo is located in the top left corner. It consists of the word "KONE" in white, uppercase letters, each letter contained within a separate blue square.

KONE

Unleash New Possibilities

KONE MonoSpace® 4 DX Core and Pro

www.kone.com

Dedicated to
People Flow™

Unleash new possibilities

Unlock new potential with the KONE MonoSpace® 4 DX Core and Pro lifts. Create additional room for living and place a focus on sustainability for the forthcoming generations. Decrease energy usage and diminish your carbon footprint throughout the lift's lifecycle, all while boosting space efficiency and expanding design possibilities.

Your building enhanced

Every square meter in your building is valuable, so why waste anything? Save space in every way and provide an unforgettable user experience.

Your time saved

Your time is valuable, so why not make the most of it? Save time at every stage - whether you are designing, building, or using your lift.

Your expectations exceeded

Why settle for less when you can do more? Go the extra mile on design, exceed expectations on user experience, and stay ahead of the game on sustainability.

Key specifications



Connected



Speed
1 m/s



Max. travel
Core: 24 m
Pro: 40 m



Load
630 kg / 1,000 kg



Max. floors
Core: 6
Pro: 21



Energy efficient
ISO 25745 A class
VDI 4707 A class



Max. group size
Core: 2
Pro: 4



Door type
Core: side opening
Pro: side / center opening





Do more at every stage



Design it

When designing your lift, you'll get all the support you need from day one. With easy-to-use planning tools, space-saving innovations, and unparalleled design freedom on your side, you can get the most from your project right from the start.

Build it

When it's time to build, your peace of mind is the number one priority. When everything is on time, on budget, and running smoothly, you can relax and focus on delivering excellence for your building and getting the most from your investment.

Use it

With a reliable, energy-efficient, and digitally enhanced lift, you can exceed users' expectations, reduce your carbon footprint, and future-proof your building for future generations.

Take your lift to the next level

Space-efficient, quiet, and durable machinery

- Up to 50% more compact, enabling improved energy efficiency and reduced carbon footprint
- Quiet operation for reduced disturbance in rooms adjacent to the shaft
- Increased lifetime with over 10M cycles

Roller guide shoes on counterweight and car

- Best-in-class ride comfort with reduced noise and vibrations
- Oil-free technology for a cleaner shaft environment
- Improved energy efficiency via reduced shaft friction



Integrated car sling structure

- Greater design flexibility for improved shaft efficiency
- Less complex shaft construction with reduced pit height

Regenerative drive

- Braking energy recovered from the motor is fed back to the supply network to be used elsewhere in the building

Durable, lightweight KONE EcoRope™ technology

High-tensile steel core

- High-strength technology enabling low carbon footprint and energy consumption.
- Reduced rope size with high-traction sheave diameter, verified up to 15 years life time with proper maintenance
- Reduced sill sag when loading due to enhanced rope stiffness'

High-friction polyurethane coating

- High resistance to wear and abrasion
- No metal-to-metal interaction for reduced noise and vibration



Optimise shaft dimensions



Increase lifetime and durability



Improve ride comfort and reduce noise



Reduce carbon footprint & energy consumption

Actions to reduce carbon footprint over the lift lifecycle



From design to delivery

Design

- Improved durability for a longer life

Materials & sourcing


- Improved material efficiency
- Materials that promote healthy spaces

Manufacturing

- First carbon-neutral manufacturing units in the industry, powered by 100% renewable electricity
- Packaging optimized and, where possible, reused

Logistics

- Optimised routes and loading



Daily use

Lift use phase

- Reduced energy consumption during use
- Carbon-optimised maintenance

Reuse or recycling

- A second life through modernisation: Upgradable, energy-efficient lifts with a longer lifespan.
- Circularity in modernisation: Recycling and reusing, and retaining materials and components (e.g. doors and guide rails).

For future generations



Reduce carbon emissions

HIGH-FRICTION, HIGH-TENSILE ROPES

Up to 70% lighter technology with longer lifetime

SPACE-EFFICIENT MACHINERY

Up to 50% more compact including a smaller counterweight

LUBRICATION FREE

Zero oil means a cleaner shaft and no hazardous waste to dispose of

Lifecycle carbon footprint

Emissions reduced by up to

27%*



KONE MonoSpace® 500 DX



KONE MonoSpace® 4 DX

■ Embodied carbon
■ Operational carbon

* Calculated based on lift using 1000 kg load, 1 m/s speed and 18m travel



Read the Environmental Product Declaration for MonoSpace® 4 DX

www.kone.com/url

Increase energy efficiency

ENERGY-EFFICIENT HOISTING

Up to 10% saving when lift is moving due to low-weight rope, reduced shaft friction, and optimised machinery design

LOW ENERGY ELECTRIFICATION

Up to 5% saving in electrification systems when lift is not moving

STANDBY MODE

Up to 10% saving when lift is not used for 5 minutes or longer

REGENERATIVE DRIVE

Up to 40% saving through recycling braking energy back into the building's power grid

KONE ENERGY MANAGEMENT

Up to 10% saving in lift groups due to optimised energy use during low-traffic periods

Annual energy consumption

Energy reduced by up to

39%*



KONE MonoSpace® 500 DX



KONE MonoSpace® 4 DX

Connect your lift to your building

An intelligent lift experience makes your building a more attractive prospect for tenants and visitors alike. Future-proof your building with market-leading smart lift system enhanced with built-in connectivity.



Improve people flow and accessibility with contactless access

Resident opens the lobby door with a badge or a smart key.



Reduce waiting times

Lift arrives on main floor. The resident enters and is taken automatically to the desired floor.



Improve communications and transparency in the building

Resident communicates with the visitor and opens the door.



Keep up-to-date with lift status in real time

Monitoring the lift helps us take proper care of it for you, now and in the future.



Ecosystem partners for turnkey solutions

Access control and entry door systems

intratone

COMELIT

2N

iLOQ

SmartThings

KONE has an open API digital platform for creating tailored solutions



YOUR PARTNER IN CONSTRUCTION LOGISTICS

As smooth as construction can be

What if you could shorten your construction schedule by weeks—or even months—reduce scheduling risks, and improve safety for your workers? KONE's Construction Logistics Services can help your project get delivered as smoothly as possible by making it easier, safer and faster to move people and materials.

Get more time back with lifts for construction

Accelerate your schedule and improve logistics by moving site workers and materials around the building more efficiently with Construction Time Use lifts

Start moving earlier with KONE JumpLift

Gain early access to the building's lift shaft so workers, tools, and materials reach their destination faster—saving hours each day and getting your building done sooner

Keep on going with 24/7 Predictive Maintenance

Increase lift availability by fixing potential problems before they happen with 24/7 Predictive Maintenance—maximising uptime so you can achieve more each day

Design online with KONE Studio

Explore different lift options and configurations online before starting a new project. Make the right design choices, use the correct dimensions and get accurate planning specifications.



Design with 3D visuals

Find the look you love with a simple, easy-to-use and free online design tool.



Use exact building specifications

Optimise planning with accurate and always up-to-date product data.



Save project details

Test and finalise your custom designs, then make changes later if needed.



Export CAD and BIM drawings

Identify potential issues and plan ahead to avoid surprises during construction.



Please visit the following websites to use KONE Studio

For GB visit: <https://www.kone.co.uk/studio/tool/>

For IR visit: <https://www.kone.ie/studio/tool/>

Technical specifications – Core

KONE MONOSPACE® 4 DX CORE

Standard configuration



Hoisting

- Gearless machinery with up to 180 starts / hour
- Integrated sling for reinforced car structure and reduced vibration
- Roller guides for improved ride comfort
- Oil free technology




Cable

- High friction and tensile ropes, verified up to 15 years life time with proper maintenance
- Increased stiffness for reduced sill sag during car loading
- 2:1 roping



Connectivity

- Native connectivity with open digital platform
- Ecosystem partners can provide innovative turnkey solutions



Energy efficiency

- Standby mode
- LED lighting
- Regenerative drive

Main options



User interface

- Customisable user interface design
- Car operating panel in full or partial height with flush or surface mounting
- Hall lantern or indicator in car or on landing




Design

- Customisable door and car interior finishes
- Essential & Refined design range
- Easy-to-clean, scratch-resistant, and anti-microbial materials



Safety and security

- Autonomous or building-integrated access control in car or at landing
- Emergency battery drive to enable evacuation of passengers to closest floor in case of power failure



Construction productivity

- Construction Time Use lifts for efficient site logistics
- Early installation and availability of the lift during shaft construction with KONE JumpLift™



Doors

- Installation on the landing or in the shaft
- Front, frame, or narrow frame doors
- Painted steel, stainless steel, or structured steels



User experience

- AI-powered predictive maintenance and remote rescue operation in case of breakdown
- Automated lift call integration into building access control system

Technical specifications – Pro

KONE MONOSPACE® 4 DX PRO

Standard configuration



Hoisting

- Gearless machinery with up to 180 starts / hour
- Integrated sling for reinforced car structure and reduced vibration
- Roller guides for improved ride comfort
- Oil free technology




Cable

- High friction and tensile ropes, verified up to 15 years life time with proper maintenance
- Increased stiffness for reduced sill sag during car loading
- 2:1 roping



Connectivity

- Native connectivity with open digital platform
- Ecosystem partners can provide innovative turnkey solutions



Energy efficiency

- Standby mode
- LED lighting
- Regenerative drive

Main options




Best-in-class ride comfort

- Machinery and guiderails insulation to reduce noise
- Rollers with buffers to reduce noise and vibrations
- Adjacent room noise: 30dB standard, 27 dB optional



Design

- Highly customizable door and car interior finishes
- Essential, Refined & Elegant design range
- Easy-to-clean, scratch-resistant, and anti-microbial materials
- Flush or surface mounting user interface



Architectural flexibility

- Flexible car dimensions to fit into existing shaft
- Doors fully installed in shaft to keep existing door cut-out
- Short guiderails to adapt to the building structure



Destination Control System

- Smart grouping of passengers with similar destination; less waiting and faster journeys in the building
- Easy integration with building access control



Doors

- High duty doors designed for up to 800 000 starts per year
- High traffic door operator for up to 425 starts per hours
- Glass finishing for panoramic view



Vandal resistance

- Anti-vandal signalisation
- Anti-vandal doors
- Structured stainless steel finishes designed for tough environments



Construction productivity

- Construction Time Use lifts for efficient site logistics
- Early installation and availability of the lift during shaft construction with KONE JumpLift™



Supervision

- Remote monitoring and control of equipment in the building
- Real-time traffic view
- Prioritizing and controlling of commands by schedule



Get the best maintenance for your DX lift

All DX lifts come with in-built connectivity that helps provide predictive maintenance for maximum availability and optimised planning.

KONE Care Predictive DX

Effortless service that uses AI-based data analytics to anticipate maintenance needs, reduce unexpected repairs and enable fact-based planning.

Service from local experts supported by global network.

More uptime and less reactive work

55%

fewer customer-reported lift and escalator issues over a 3-year period

Increase the amount of planned work

80%

of faults identified proactively

Make tenants feel comfortable

55%

fewer lift entrapments over a 3-year period



KONE provides innovative and eco-efficient solutions for lifts, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings. We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings. This makes us a reliable partner throughout the life cycle of buildings. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE 24/7 Connected Services and KONE UltraRope®. KONE employs over 63,000 dedicated experts to serve you globally and locally.

KONE PLC

Head office
KONE Plc
Global House,
Station Place, Fox Lane
North Chertsey, Surrey,
KT16 9HW

Tel. +44 (0) 3451 999 999

www.kone.co.uk

KONE IRELAND

Head office
KONE Ireland Limited
G7 Calmount Business Park
Calmount Avenue
Ballymount
Dublin D12 NP64

Dublin office: +353 (0) 1429 6200
Belfast office: +44 (0) 2890 735900

www.kone.ie

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement in this publication shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colors may exist. KONE MonoSpace® DX, KONE EcoDisc® and People Flow® are registered trademarks of KONE Corporation. Copyright © 2024 KONE Corporation.

**Dedicated to
People Flow™**