KONE

Unleash New Possibilities

KONE MonoSpace® 4 DX Core and Pro

Dedicated to People Flow[™]

www.kone.com

Unleash new possibilities

Unlock new potential with the KONE MonoSpace® 4 DX Core and Pro elevators. Create additional room for living and place a focus on sustainability for the forthcoming generations. Decrease energy usage and diminish your carbon footprint throughout the elevator's lifecycle, all while boosting space efficiency and expanding design possibilities.

Your building enhanced

Every square meter in your building is valuable, so why waste anything? Save space in every way and provide an unforgettable user experience.

Your time saved

Your time is valuable, so why not make the most of it? Save time at every stage - whether you are designing, building, or using your elevator.

Your expectations exceeded

Why settle for less when you can do more? Go the extra mile on design, exceed expectations on user experience, and stay ahead of the game on sustainability.

Key specifications

? Connected

Max. floors Core: 14 Pro: 21

Speed 1 m/s

> **ረ**ን Energy efficient ISO 25745 A class

VDI 4707 A class

イト

40 m

Ľð

Core: 2

Pro: 4

Max. travel

Max. group size

rkg 1

Load 630 kg / 1,000 kg

• •

Door type Core: side opening Pro: side / center opening



Do moteore every stage

Design it

When designing your elevator, you'll get all the support you need from day one. With easy-touse planning tools, space-saving innovations, and unparalleled design freedom on your side, you can get the most from your project right from the start.

Build it

When it's time to build, your peace of mind is the number one priority. When everything is on time, on budget, and running smoothly, you can relax and focus on delivering excellence for your building and getting the most from your investment.

Use it

With a reliable, energy-efficient, and digitally enhanced elevator, you can exceed users' expectations, reduce your carbon footprint, and future-proof your building for future generations.

Take your elevator to the next level

Space-efficient, quiet, and durable machinery

- Up to 50% more compact, enabling improved energy efficiency and reduced carbon footprint
- Quiet operation for reduced disturbance in rooms adjacent to the shaft
- Increased lifetime with over 10M cycles

Roller guide shoes on counterweight and car

- Best-in-class ride comfort with reduced noise and vibrations
- Oil-free technology for a cleaner shaft
 environment
- Improved energy efficiency via reduced shaft friction



Integrated car sling structure

- Greater design flexibility for improved shaft
 efficiency
- Less complex shaft construction with reduced pit height

Regenerative drive

 Braking energy recovered from the motor is fed back to the supply network to be used elswhere in the building

Durable, lightweight KONE EcoRope[™] technology

High-tensile steel core

- High-strength technology enabling low carbon footprint and energy consumption.
- Reduced rope size with high-traction sheave diameter, verified up to 15 years life time with proper maintenance
- Reduced sill sag when loading due to enhanced rope stiffness'

High-friction polyurethane coating

- High resistance to wear and abrasion
- No metal-to-metal interaction for reduced noise and vibration



Optimize shaft dimensions



Increase lifetime and durability



Improve ride comfort and reduce noise



Reduce carbon footprint & energy consumption

Actions to reduce carbon footprint over the elevator lifecycle



From design to delivery

Design

• Improved durability for a longer life

Materials & sourcing


- Improved material efficiency
- Materials that promote healthy spaces

Manufacturing

- First carbon-neutral manufacturing units in the industry, powered by 100% renewable electricity
- Packaging optimized and, where possible, reused

Logistics

• Optimized routes and loading



Daily use


Elevator use phase

- Reduced energy consumption during use
- Carbon-optimized maintenance

Reuse or recycling

- A second life through modernization: Upgradable, energy-efficient elevators with a longer lifespan.
- Circularity in modernization: Recycling and reusing, and retaining materials and components (e.g. doors and guide rails).





HIGH-FRICTION, HIGH-TENSILE ROPES

Up to 70% lighter technology with longer lifetime SPACE-EFFICIENT MACHINERY Up to 50% more compact including a smaller counterweight LUBRICATION FREE


Zero oil means a cleaner shaft and no hazardous waste to dispose of



7 Product Declaration for MonoSpace® 4 DX

Lifecycle carbon footprint

500 DX





Increase energy efficiency

ENERGY-EFFICIENT HOISTING

Up to 10% saving when elevator is moving due to low-weight rope, reduced shaft friction, and optimized machinery design

LOW ENERGY ELECTRIFICATION

Up to 5% saving in electrification systems when elevator is not moving STANDBY MODE

Up to 10% saving when elevator is not

used for 5 minutes or longer

REGENERATIVE DRIVE

Up to 40% saving through recycling braking energy back into the building's power grid

KONE ENERGY MANAGEMENT

Up to 10% saving in elevator groups due to optimized energy use during low-traffic periods

Annual energy consumption



KONE MonoSpace® 4 DX

KONE MonoSpace®

500 DX

KONE MONOSPACE[®] 4 DX

www.kone.com/url

Connect your elevator to your building

An intelligent elevator experience makes your building a more attractive prospect for tenants and visitors alike. Future-proof your building with market-leading smart elevator system enhanced with built-in connectivity.



Improve people flow and accessibility with contactless access

Resident opens the lobby door with a badge or a smart key.



Reduce waiting times

Elevator arrives on main floor. The resident enters and is taken automatically to the desired floor.




Improve communications and transparency in the building

Resident communicates with the visitor and opens the door.



Keep up-to-date with elevator status in real time

Monitoring the elevator helps us take proper care of it for you, now and in the future.



Ecosystem partners for turnkey solutions



KONE has an open API digital platform for creating tailored solutions



As smooth as

construction can be

What if you could shorten your construction schedule by weeks—or even months—reduce scheduling risks, and improve safety for your workers? KONE's Construction Logistics Services can help your project get delivered as smoothly as possible by making it easier, safer and faster to move people and materials.

Get more time back with elevators for construction

Accelerate your schedule and improve logistics by moving site workers and materials around the building more efficiently with Construction Time Use elevators

Start moving earlier with KONE JumpLift


Gain early access to the building's elevator shaft so workers, tools, and materials reach their destination faster—saving hours each day and getting your building done sooner

Keep on going with 24/7 Predictive Maintenance

Increase elevator availability by fixing potential problems before they happen with 24/7 Predictive Maintenance—maximizing uptime so you can achieve more each day

Design online with KONE Studio

Explore different elevator options and configurations online before starting a new project. Make the right design choices, use the correct dimensions and get accurate planning specifications.



8

Design with 3D visuals

Find the look you love with a simple, easy-to-use and free online design tool.

N1

Use exact building specifications

Optimize planning with accurate and always up-to-date product data.

巴

Save project details

Test and finalize your custom designs, then make changes later if needed.

₫

Export CAD and BIM drawings

Identify potential issues and plan ahead to avoid surprises during construction.



Scan the QR code to try the KONE Studio www.kone.com/[UPDATE URL & QR



KONE MONOSPACE[®] 4 DX

Technical specifications – Core

KONE MONOSPACE® 4 DX CORE

Standard configuration



- Gearless machinery with up to
 180 starts / hour
- Integrated sling for reinforced car structure and reduced vibration
- Roller guides for improved ride comfort
- Oil free technology




Cable

- High friction and tensile ropes, verified up to 15 years life time with proper maintenance
- Increased stiffness for reduced sill sag during car loading
- 2:1 roping

Connectivity

- Native connectivity with open digital platform
- Ecosystem partners can provide innovative turnkey solutions



- Standby mode
- LED lighting
- Regenerative drive

Main options



User interface

- Customizable user interface design
- Car operating panel in full or partial height with flush or surface mounting
- Hall lantern or indicator in car or on landing


- DoorsInstallation on the landing or in
 - Installation on the landing of in the shaft
 Front, frame, or narrow frame
 - doors
 - Painted steel, stainless steel, or structured steels



Design

- Customizable door and car interior finishes
- Essential & Refined design range
- Easy-to-clean, scratchresistant, and anti-microbial materials

User experience




 Automated elevator call integration into building access control system

Safety and security

- Autonomous or building-integrated access control in car or at landing
- Emergency battery drive to enable evacuation of passengers to closest floor in case of power failure

Construction productivity

- Construction Time Use
 elevators for efficient site
 logistics
- Early installation and availability of the elevator during shaft construction with KONE JumpLift[™]



© Sa

()

Technical specifications – Pro

KONE MONOSPACE® 4 DX PRO

Standard configuration



- Gearless machinery with up to 180 starts / hour
- Integrated sling for reinforced car structure and reduced vibration
- Roller guides for improved ride comfort
- Oil free technology



- High friction and tensile ropes, verified up to 15 years life time with proper maintenance
- Increased stiffness for reduced sill sag during car loading
- 2:1 roping

Connectivity

- Native connectivity with open digital platform
- Ecosystem partners can provide innovative turnkey solutions

Energy efficiency

- Standby mode
- LED lighting
- Regenerative drive

Main options



- Best-in-class ride comfort
- Machinery and guiderails insulation to reduce noise
- Rollers with buffers to reduce noise and vibrations
- Adjacent room noise: 30dB standard, 27 dB optional

Doors

- High duty doors designed for up to 800 000 starts per year
- High traffic door operator for up to 425 starts per hours
- Glass finishing for panoramic view



Design

- Highly customizable door and car interior finishes
- Essential, Refined & Elegant design range
- Easy-to-clean, scratch-resistant, and anti-microbial materials
- Flush or surface mounting user interface


Vandal resistance

- Anti-vandal signalization
- Anti-vandal doors
- Structured stainless steel finishes designed for tough environments



Architectural flexibility

- Flexible car dimensions to fit into existing shaft
- Doors fully installed in shaft to keep existing door cut-out
- Short guiderails to adapt to the building structure



· Early installation and availability of the elevator during shaft construction with KONE JumpLift[™]

Destination Control System

- Smart grouping of passengers with similar destination; less waiting and faster journeys in the building
- · Easy integration with building access control

Supervision

- Remote monitoring and control of equipment in the building
- Real-time traffic view
- Prioritizing and controlling of commands by schedule

Get the best maintenance for your DX elevator

All DX elevators come with in-built connectivity that helps provide predictive maintenance for maximum availability and optimized planning.

KONE Care Predictive DX

Effortless service that uses Al-based data analytics to anticipate maintenance needs, reduce unexpected repairs and enable fact-based planning.

Service from local experts supported by global network.

More uptime and less reactive work

55%

fewer customer-reported elevator and escalator issues over a 3-year period Increase the amount of planned work

80%

of faults identified proactively

Make tenants feel comfortable

55%

fewer elevator entrapments over a 3-year period

Get the best maintenance for your DX elevator

All DX elevators come with in-built connectivity that helps provide predictive maintenance for maximum availability and optimized planning.

KONE Care Predictive DX

Effortless service that uses Al-based data analytics to anticipate maintenance needs, reduce unexpected repairs and enable fact-based planning, while also offering remote services to solve issues quickly over the air. More uptime and less reactive work

55%

fewer customer-reported elevator issues over a 3-year period Increase the amount of planned work

80%

of faults identified proactively

Fix issues quickly over-the-air

2m 30s

average remote rescue time

KONE Remote Services

Inbuilt KONE Remote Service increases uptime and solves issues quickly with over-the-air maintenance actions.



KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings. We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings. This makes us a reliable partner throughout the life cycle of buildings. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE 24/7 Connected Services and KONE UltraRope®. KONE employs over 63,000 dedicated experts to serve you globally and locally.

KONE Corporation

Corporate offices

Keilasatama 3 P.O. Box 7 Espoo, 02150 Finland

Tel.: +358 (0)204 75 1 Fax: +358 (0)204 75 4496

Business Identity Code: 1927400-1

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement this publication contains shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colors may exist. KONE MonoSpace® DX, KONE EcoDisc® and People Flow® are registered trademarks of KONE Corporation. Copyright © 2024 KONE Corporation.

Dedicated to People Flow[™]

www.kone.com